





No. Z15 Amsterdam For 8 foot+ ceilings





No. 11420 St. James Woodgrain For 8 foot+ ceilings.



No. Z22 Monte Carlo Cornice For 8 foot+ ceilings

No. 11430 St. James Woodgrain For 9 foot+ ceilings.




No. 11170, C-11172 St. James For 8 foot+ ceilings.

FOCAL POINT[®] MATERIAL


A high density, furniture grade polymer that installs easily with standard construction tools.

Specifications	Property Value
Material/Primer	Polyurethane, Vinyl Primer
Ignition Temperature	Greater than 700°F.
Fire Retardant	Additive included.
Temperature Range Without Degradation	-200°F. to 140°F. If not installed properly warpage may occur at +140°F.
Ultraviolet	No effect other than color change.
Coefficient of linear thermal expansion	.00004 in./in./°F.
Density	12-15 lbs./Cubic Feet.
Toxicity Certification	New York State Uniform Fire Prevention and Building Codes, Article 15.
HCFC/CFC	HCFC/CFC free.

No. 11270, C-11272 St. James For 9 foot+ ceilings.





No. 11370 St. James For 10 foot+ ceilings.



CONTOUR-ALL[®] MATERIAL

A flexible polymer that conforms to curved surfaces. See page 23 for Radius Guide, or specify FOCALFLEX[™] material.

Specifications	Property Value
Product Material	Flexible Polyurethane
Ignition Temperature	Greater than 500°F.
Temperature Range Without Degradation	-200°F. to 140°F. If not installed properly warpage may occur at +140°F.
Ultraviolet	No effect other than color change.
Density	16-20 lbs./Cubic Feet.
Unprimed	Does not accept laquer based paints or Focal Point primer. Prime on site.



No. 37507 Sidbury Cornice Sized for exterior applications.

FOCALFLEX[™] MATERIAL

Most products available in any radius. Contact Customer Service.



SPECICAST[®] MATERIAL

A selection of Class A fire rated (ASTM E-84) moulding patterns is available. See page 18 for more information.



ADHESIVE 3

Specially formulated to help achieve a quality installation, we recommend one tube per 60 ft. of moulding. Don't substitute!



PRODUCTS FOR INTERIOR OR EXTERIOR USE





No. Z19 Holland Cove For 8 foot+ ceilings





No. 11280, C-11282 Zoller Cove For 8 foot+ ceilings.





No. 14010, C-14012 Cove For 7 foot+ ceilings.




No. 11180, C-11182 Zoller Cove For 8 foot+ ceilings.





No. Z16 Milan Cove For 8 foot+ ceilings





No. 11290 Zoller Cove For 9 foot+ ceilings.



No. Z20 Spoleto Cove For 8 foot+ ceilings



No. 11300, Zoller Cove For 11 foot+ ceilings.





No. Z17 Belgian Cove For 8 foot+ ceilings

C U S T O M S E R V I C E S A V A I L A B L E


USE ADHESIVE 3




No. 11180 Zoller Cove moulding




No. Z6 Brussels For 8 Ft.+ ceilings



Historic Natchez Foundation




No. 13000, C-13002 Linden Cornice For 9 foot+ ceilings.
Full Scale Reproduction




No. 37807 Marin Cove
For 9 foot+ ceilings.




Williamsburg®



No. 16310 Governor's Palace Cove
For 9 foot+ ceilings. 3/4 Scale.
No. 16360, C-16362
Governor's Palace Cove
For 8 foot+ ceilings. 1/3 Scale.



Victorian Society
in America



No. 19260 Cavetto Lucia For 9 foot+ ceilings.




No. 19260 Cavetto Lucia Moulding



No. 11180 Cove moulding




NEW




No. 11710 Scottsdale For 11 foot+ ceilings.


USE ADHESIVE 3



No. Z24 Tuscany Cornice For 8 foot+ceilings





No. 37513 Hampshire For 10 foot+ ceilings or exterior.




No. 16300 Peyton Randolph House For 9 foot+ ceilings. Full Scale.


No. 16350, C-16352 Peyton Randolph House For 8 foot+ ceilings. Approx. 1/2 Scale.



No. 11640 Taos For 8 foot+ ceilings.




No. 37524 McLaran For 10 foot+ ceilings, or exterior.



No. 11650 Santa Fe For 10 foot+ ceilings.



No. 19270 Capitol Hill Scotia For 8 foot+ ceilings.



No. 17020 Oatlands Fluted For 9 foot+ ceilings.




No. 11650 Santa Fe Moulding


PRODUCTS
FOR
INTERIOR
OR
EXTERIOR
USE

In the 18th and 19th centuries, mouldings were an indication of wealth and social standing, and were used in the rooms visitors were likely to be - the entryway, living room and dining area.


Today, mouldings continue to be an indication of wealth, but more so an indication of the owners' character - a personal and visual statement about how they are reflected in the home.




No. 14070, C-14072 Dentil For 7 foot+ ceilings.



No. 11330, C-11332 Maryland For 8 foot+ ceilings.



No. 11150, C-11152 Dentil For 8 foot+ ceilings.




No. Z2 Roman Dentil For 8 foot+ ceilings

No. 11200, C-11202 Dentil For 10 foot+ ceilings.




No. Z5 Roman Dentil For 8 foot+ ceilings



USE ADHESIVE 3





No. 16340 Nicolson House moulding.




Williamsburg®



No. 16330 Raleigh Tavern
For 9 foot+ ceilings. *Full Scale*
No. 16380, C-16382 Raleigh Tavern
For 8 foot+ ceilings. *Approx. 1/2 Scale*





No. 37805 Pennsylvania Dentil
For 9 foot+ ceilings.



No. 37001 Boxborough Crown
Sized for exterior application.




No. 37002 Boxborough Crown
Sized for exterior application.




Williamsburg®



No. 16320 Governor's Palace Fretwork
For 9 foot+ ceilings. *3/4 Scale*
No. 16370, C-16372 Governor's Palace Fretwork
For 8 foot+ ceilings. *1/3 Scale*



*No. 16320 Governor's Palace Fretwork as the Niche Pediment;
No. 16330 Raleigh Tavern Cornice*





No. 11080, C-11082 Modillion Block For 8 foot+ ceilings.




Williamsburg®

No. 16340 Nicolson House
For 10 foot+ ceilings. *Full Scale*
No. 16390, C-16392 Nicolson House
For 8 foot+ ceilings. *Approx. 1/2 Scale*



No. 11190 Modillion Block For 10 foot+ ceilings.





No. 11160, C-11162 Egg & Dart
For 7 foot+ ceilings.
No. 11310 Egg & Dart
For 9 foot+ ceilings.


No. 11160



No. 11310




No. Z4 Egg & Dart For 8 foot+ ceilings




No. 11220, C-11222 Egg and Dart For 8 foot+ ceilings.

No. 11220



No. 30067 Palladio For 9 foot+ ceilings.




No. 11020, C-11022 Classic Rosette For 8 foot+ ceilings.

No. 11020




No. 13020 Glenburnie For 9 foot+ ceilings. 2/3 Scale Reproduction




No. Z22, Z10.




No. 11550 Peachtree moulding.




No. Z8 Verona For 8 foot+ ceilings



No. 17040, C-17042 Wilson House For 9 foot+ ceilings




No. Z9 Dauphine For 8 foot+ ceilings




No. Z7 Provence Cornice For 8 foot+ ceilings



No. 14050, C-14052 Acanthus Leaf For 7 foot+ ceilings.




No. 11130 Candler For 9 foot+ ceilings.




No. Z3 Fabienne For 8 foot+ ceilings



No. 11000, C-11002 Old English For 8 foot+ ceilings.




No. 11040, C-11042 Georgian
For 8 foot+ ceilings.
No. 11320, C-11322 Georgian
For 9 foot+ ceilings.




No. Z11 Rococo For 8 foot+ ceilings

CUSTOM SERVICES AVAILABLE


USE ADHESIVE 3




No. 14060, C-14062 Seascape For 7 foot+ ceilings




No. 11140, C-11142 Shell & Bellflower For 8 foot+ ceilings.
No. 11340 Shell & Bellflower For 8 foot+ ceilings.




No. 11400 Regence Cove For 9 foot+ ceilings.




No. 17050 Oatlands Composite For 9 foot+ ceilings.




No. 13010 Stanton Hall For 10 foot+ ceilings. 1/2 Scale Adaptation



No. Z41 Versailles For 9 foot+ ceilings (Use on center of the wall)



No. Z40 Versailles Cornice For 9 foot+ ceilings (use to make outside corners and straight runs to match Z42, Z41)



No. Z42 Versailles Inside Corner* (when cut, makes two inside corners)



USE ADHESIVE 3


To create a look using these products:

1. Use the Z41 on the straight part of a wall. It features the design in the middle of the 6-1/2 ft. moulding.
2. Use the Z42 for inside corners. The 6-1/2 ft. piece of moulding features the components that, when cut, yield two inside corners.*
3. Use the Z40 to make all outside corners and for additional pieces needed on each side of the Z41.

*After mitered and glued, decorative section is 16" wide on each side.



Victorian Society
in America



No. 19220 Pea Pod and Vine For 9 foot+ ceilings.
No. 19228 Block Block width: 3-3/8"




Victorian Society
in America



No. 19230 Ivy Leaves For 8 foot+ ceilings.




Victorian Society
in America



No. 19240 Mille Fleur For 9 foot+ ceilings.
No. 19248 Block Block width: 3-3/4"



Victorian Society
in America




No. 19210 Eastlake For 9 foot+ ceilings.
No. 19218 Block Block width: 2-7/8"




Historic Natchez Foundation



No. 13070, C-13072 D'Evereux Cornice For 8 foot+ ceilings
Full Scale Reproduction



Historic Natchez Foundation



No. 13060 D'Evereux Cornice with No. 13080 D'Evereux Frieze



Photo provided by Architectural Impressions, Arlington Heights, IL.

No. 11040 Georgian moulding.



#13080, #13082 D'Evereux Frieze (Contour-All material);
#11000 Old English Moulding.


C U S T O M S E R V I C E S A V A I L A B L E

MOULDINGS


CLASS A SPECICAST[®] MOULDINGS

Class A fire rated Specicast material mouldings are for commercial applications requiring a fire rating. Best of all, when you


specify mouldings in Specicast material, you can rest assured your design will move through the specifications process untouched.




No. 21010 Regency




No. 21070 Ogee




No. 21020 Newport



No. 21030 Hanover




No. 21040 Fairfax



No. 21060 Fairfield

Specifications	Property Value
Product Material	Class A Polyurethane
Fire Retardant	Inorganic flame retardant/No Halogene
Temperature Range Without Degradation	-250°F to 150°F
Ultraviolet	No effect
Density	21-22 lbs./Cubic Feet.
Factory-primed	Water based, non-flammable.
Toxicity Certification	New York State Uniform Fire Prevention and Building Codes, Article 15.



USE ADHESIVE 3





Classic Corbel (93200); Georgian Plaque (97010).



No. 11040 Georgian moulding; No. 80512 Regency medallions.




Indirect lighting created using No. 11170 St. James at top, No. 17030 Outlands composite below, and No. 93200 Classic Corbel (with shelf removed).




No. Z11, Z12 Rococo mouldings.


M O U L D I N G S : C O R N I C E , S O F F I T ,




No. 15040 French Scroll




No. 11550, C-11552 Peachtree




No. Z12 Rococo Frieze




No. 13080, C-13082 D'Evereux Frieze *Full Scale Adaptation*




No. Z30 Orleans Frieze




No. 13040, C-13042 Linden Frieze *Full Scale Adaptation*




No. 11600, C-11602 Belford
No. 11660, C-11662 Belford



No. 14620, C-14622 Chippendale




No. 30068, 30069 Colonnade




No. Z32 Dentil Frieze

USE ADHESIVE 3


CHAIR RAIL, FRIEZE, CASING




No. Z31 Greek Key Frieze




No. 17010, C-17012 Outlands Bead and Reel




No. 16160 Powell-Hallam House *Full Scale*




No. 15520 Winfield




No. 11510 Greek Key




No. 15010, C-15012 Wilton




No. 11500 Trellis




No. Z13 Denmark Frieze




No. 11520, C-11522 Rondel



No. 16560, C-16562 Peyton Randolph House *Full Scale*




No. Z1 Tuscan Frieze




No. 16580, C-16582 Carter's Grove™ *Full Scale*


CUSTOM SERVICES AVAILABLE




No. 11530 Victoriana




No. 37208 Craftsman Frieze




No. 16590, C-16592 Robert Carter House Full Scale




No. 37004 Covington



No. 16570 Wythe House Full Scale




No. 37214 Chandler




No. 11620, C-11622 Mathias House


No. 11630, C-11632 Mathias House



No. 11630



No. 37509 Gerald




No. 11610, C-11612 Rider House




No. 37106 Fascia 6"H x 5/8"P

No. 37108 Fascia 8"H x 1"P

No. 37110 Fascia 10"H x 1"P




No. 37150 Glenridge




No. 37211 Kensington Dentil


Repeat: 4-3/8"



No. 37206 Virginian Dentil



No. 37205 Wingate Dentil




No. 37203 Weston Dentil

MISCELLANEOUS ACCENTS



No. 38400 Block: Modillion
8"L x 5-3/4"W x 2-7/8"P



No. 38420 Block: Sculptured Dentil
4"L x 4"W x 4"P



No. 37410 Block: Diamond
6-1/2"L x 5-1/4"W x 1-3/4"P




No. 37430 Block: Gothic
6-1/2"L x 8-1/4"W x 3-1/2"P


PRODUCTS
FOR
INTERIOR
OR
EXTERIOR
USE

RADIUS GUIDE
CONTOUR-ALL[®] MATERIAL


Call about
FOCALFLEX[®] if
not listed here.



Outside
Radius



Inside
Radius



Arch
Radius

Contour-All
material may
be 1/8"-1/4"
smaller than
Endure-All
material.

Product Number	Min. Outside Radius	Min. Inside Radius	Arch Radius
11002	6'	5'	N/A
11022	7'	6'	N/A
11042	6'	5'	N/A
11082	12'	10'	N/A
11122	7'	6'	N/A
11142	8'	7'	N/A
11152	6.5'	5.5'	N/A
11162	5.5'	4.5'	N/A
11172	7'	6'	N/A
11182	9.5'	8'	N/A
11202	12'	10'	N/A
11272	11'	9'	N/A
11282	8'	6.5'	N/A
11332	8'	7'	N/A
11522	1.5'	1'	3'
11552	2'	2'	7'
11602	5'	5'	7'
11612	4'	4'	7'
11622	3'	3'	6'
11632	4'	4'	7'
11662	5'	5'	7'
13002	12'	10'	N/A
13042	1'	1'	4.5'
13062	12'	10'	N/A
13082	3'	2.5'	N/A
14012	4'	3'	N/A
14052	5.5'	4.5'	N/A
14062	5.5'	4.5'	N/A
14072	5.5'	4.5'	N/A
14622	2.5'	2'	3.5'
15012	2'	1.5'	2.5'
16352	6'	5'	N/A
16362	6'	5'	N/A
16372	6'	5'	N/A
16382	6'	5'	N/A
16392	6'	5'	N/A
16562	1.5'	1.5'	3'
16582	2'	2'	4'
16592	2'	2'	4'
17012	1.5'	1.5'	3.5'
17042	10'	8'	N/A

FOCALFLEX[®] MATERIAL

IF PRODUCTS ARE NOT
SHOWN IN THE CHART
ABOVE, CALL ABOUT
FOCALFLEX MATERIAL.
MOST PRODUCTS AVAILABLE
IN ANY RADIUS.

USE ADHESIVE 3